

RECHKALOV, A.I., inzh.

New developments in freight car manufacture. Zhel.dor.transp.  
46 no.12:45-47 D '64.

(MIRA 19:1)

1. Glavnnyy konstruktor Ural'skogo vagonostroitel'nogo zavoda.

RECHKALOV, A.I. (Nizhniy Tagil); TENENBAUM, B.Ya. (Nizhniy Tagil)

Increasing the reliability of the basic car parts. Zhel.dor.transp.  
47 nr.10:38-41 O '65. (MIRA 18:10)

1. Glavnnyy konstruktor Ural'skogo vagonostroitel'nogo zavoda (for  
Rechkalov). 2. Nachal'nik laboratorii Ural'skogo vagonostroitel'-  
nogo zavoda (for Tenenbaum).

RUBENKALOV, Grigoriy Andreyevich, general-mayor aviatseii, avazhny Gercy  
Sovetskogo Soyuza

Fulfilling one's oath... Kryl. red. 16 no.1282-3 D 165.  
(MIRA 18:12)

KOCHERGIN, I.I., veterinarnyy vrach; RECHKALOV, M.A., veterinarnyy vrach;  
KARPUSHOVA, K.I., veterinarnyy vrach.

Report on the work of the disinfection crew. Veterinariia 30 no.5:  
49-51 My '53.  
(MLRA 6:5)

1. Kolomenskaya mezhrayonnaya vетbaklaboratoriya Moskovskoy  
oblasti.

BOGOMOLOV, M. A.; KARPUCHOVA, K. I.; KOCHERGIN, I. I.

Work experience of a disinfecting detachment.

SC: Veterinariya; 30 (5) May 1953

Kolomenskaya Interrayon Veterinary Bacteriological Laboratory, Moscow Oblast.

DANILYUK, V.A.; ZHUKOV, V.N.; PANOV, G.I.; KUTSENKO, G.L.; LUGOVETS,  
V.A.; NEKHONOV, N.A.; PORTNYAGIN, A.I.; RECHKIN, L.A.;  
SEREGIN, V.P.; SIVTSOV, V.P.; KHOLODNOV, Yu.I.; MEL'NIKOV,  
V.V., kand.tekhn.nauk, red.; KOZULIN, B., red.; CHERNIKHOV, Ya.,  
tekhn. red.

[Radio amateur's handbook] Spravochnik radioamatora. Sverdlovsk,  
Sverdlovskoe knizhnoe izd-vo, 1962. 838 p.  
(MIRA 15:8)

(Radio--Handbooks, manuals, etc.)

FEDOROVA, A.I.; RECHKIN, V.I.

In memory of Nikifor Stepanovich Fedorov. Izv. Vses. Geog. ob-va  
89 no.2:160-161 Mr-Ap '57. (MLRA 10:6)  
(Fedorov, Nikifor Stepanovich, 1884-1955)

ACC NR: AP6029422

SOURCE CODE: UR/0177/66/000/008/0056/0058

AUTHOR: Rechkin, V. I.; Khudyakov, I. S. (Candidate of medical sciences)

ORG: none

TITLE: Aerial treatment of a tick borne encephalitis focus

SOURCE: Voyenno-meditsinskiy zhurnal, no. 8, 1966, 56-58

TOPIC TAGS: infective disease, ~~tick-borne~~ encephalitis, virus disease, vector, tick, pest control, aerial spraying, animal parasite

ABSTRACT: A single aerial dusting (10% DDT dust) of a tick-borne encephalitis focus by an AN-2 airplane during 6-20 May 1964 destroyed 91-97% of the Ixodes ticks in four to five days, and reduced the number of other ectoparasites in the treated sections by almost 90%. Areas for dusting and flight courses were prepared as follows (see Fig. 1): 50-m intervals were marked with orange smoke signals by signalmen moving perpendicularly to the flight path along 2 opposite sides of squares of not more than 2.5 km for best signal visibility. One planeload was sufficient for treating two strips 50 m wide. Dust settling was measured by the contrasting-screen method, to determine the necessary dust concentration for maximum tick destruction. A method is suggested.

Card 1/2

UDC: 616.988.25-002.954.2-036.22

ACC NR: AP6029422

for rapid visual evaluation of density and yield of dust settling on the soil for the determination of sedimented dust volume doses/m<sup>2</sup>. Boards, provided with a sheet of glossy photographic paper which had been immersed in developer in daylight, are set at 5-m intervals in taiga sections with varying tree density. Dust particles settling on the sticky emulsion surface of the photographic paper stand out against the black background, allowing calculation of the density of preparation dispersion. If necessary, the sheets can be enlarged photographically to facilitate calculation of pesticide and filler particles settling on them. More precise determination of the quantity of settled pesticide/m<sup>2</sup> may be obtained by washing the dust particles from the surface of dried photographic paper and subjecting them to chemical analysis for sedimented dust volume. Treatment may be repeated if the quantity of settled dust is insufficient. An upper forest layer density from 0.7 to 1.0 requires at least 55 kg/hectare rather than the suggested 50 kg DDT dust/hectare.

[WA-50; CBE No. 12]

SUB CODE: 06/ SUBM DATE: none/

Card 2/2

ACC NR: AP7006174

SOURCE CODE: UR/0115/67/000/001/0088/0088

AUTHOR: Rechkalov, I. T.

ORG: none

TITLE: Highly stable a-c relay for control of high power

SOURCE: Izmeritel'naya tekhnika, no. 1, 1967, 88

TOPIC TAGS: electric relay, dc amplifier

ABSTRACT: The development of a phase sensitive electronic relay is reported. The proposed circuit consists of a power d-c relay and a phase-sensitive amplifier. The amplifier (power consumption, 20—30 mw) controls the operation of the d-c relay whose load is 50 w. The relay is a three-stage d-c amplifier with positive feedback. The operational threshold is determined by parameters of the first stage, and therefore the supply voltage is stabilized for this stage only. The circuit was tested with a signal obtained from a measuring bridge with a differential inductive converter to control linear dimensions. Error in the operational point of the relay does not exceed  $\pm 0.1 \mu$  during  $\pm 20\%$  variations in power supply voltage or variations in 20—50°C temperature. Orig. art. has: 1 figure. [GS]

SUB CODE: 09/ SUBM DATE: 10Nov65/ ORIG REF: 004/

Card 1/1

UDC: 621.318.57

L 3082-66 AM5026188	EWP(e)/EWP(m)/EPF(c)/EWP(i)/EWP(t)/EWP(b) BOOK EXPLOITATION	IJP(c)	JD
		UR/ 6P3.4 S38	2. E+1
<p><u>Sinel'nikova, Vera Semenova; Podergin, Veniamin Alekseyevich; Rechkin, Viktor</u> <u>Nikolayevich</u> 44.55 44.55</p> <p><u>Aluminides (Alyuminidy), Kiev, Izd-vo "Naukova dumka", 1965. 240 p. illus.,</u> <u>biblio., tables. 1,700 copies printed. (At head of title: Akademiya nauk</u> <u>Ukrainskoy SSR. Institut problem materialovedeniya)</u> 44.55</p> <p>TOPIC TAGS: aluminum, <u>aluminum</u> alloy, aluminum compound, refractory compound, halide, metal property, <u>boron</u> compound, carbon compound, aluminum <u>oxide</u>, aluminum <u>nitride</u>, 44.55</p> <p>PURPOSE AND COVERAGE: This book presents the characteristics of interaction between aluminum and all elements of the periodic system. A classification of aluminides based on the nature of their interaction is given, and classes of elements not chemically interacting with aluminum are specified. The physico-chemical nature of aluminides is explained in relation to electronic interaction. This book is useful for scientists and technical engineers specializing in refractory compounds and in research of materials for new technology. It also can be used by students and university aspirants in</p>			

Card 1/2

L 3082-66  
AM5026188

O

physics, chemistry and metallurgy.

TABLE OF CONTENTS (abridged):

Foreword — 3
Ch. I. Metallochemistry of aluminum — 5
Ch. II. Structures and physical-chemical properties of aluminides — 13
Ch. III. Methods of preparation and application of aluminides — 39
Ch. IV. Aluminides of metals in the first group of the periodic table — 53
Ch. V. Aluminides of metals in the second group of the periodic table — 63
Ch. VI. Aluminides of intermediate metals — 70
Ch. VII. Aluminides of elements of the boron subgroup — 149
Ch. VIII. Aluminides of elements of the carbon subgroup — 156
Ch. IX. Aluminides of elements of the nitrogen subgroup — 161
Ch. X. Aluminides of elements of the oxygen subgroup — 168
Ch. XI. Halide compounds of aluminum — 173
Ch. XII. Multicomponent alloys with aluminum — 176
Bibliography — 225

SUBMITTED: 12Jul65

OTHER: 560

SUB CODE: IC,MM

NO REF SOV: 231

Card 2/2

ДІСКУЛІНІДИ, Альбін Степанович; ГОБНІЦЬКИЙ, Віктор Ніколаєвич;  
[авт.], Віктор Ніколаєвич ДАВІДОВ, Г.М., ред.

[40 років] Алюмініди. Кіев, Наукова думка, 1965. 240 р.  
(MIRA 18:11)

І. Офіцер-кореспондент АН Ukr.SSR (for Samsonov).

RECHKIN V.N., LAMIKHOV, I.A., SAMSONOVA T.I.

Crystalline structures of certain scandium aluminates.  
Kristallografsia 9 no.3-401-403 My-Je '64. (MIRA 17:6)

I. Khimiko-metallurgicheskiy Institut Sibirskego otdeleniya  
AN SSSR.

KRIZE, S.N.; RECHKINA, A.A.; ARTEMOVA, T.I., red.; QHIZHEVSKIY, E.M.,  
tekhn. red.

[Problems of amplifying devices] Sbornik zadach po usilitel'-  
nym ustroistvam. n.p. Rosbuzizdat, 1963. 76 p.  
(MIRA 16:5)

(Amplifiers (Electronics))  
(Pulse techniques (Electronics))

KHADEYEV, V.A.; ZHDANOV, A.K.; RECHKINA, L.G.

Use of chloramine-T in amperometry. Uzb. khim. zhur. no.6:28-  
37 '60. (MIRA 14:1)

1. Tashkentskiy gosuniversitet im. V.I.Lenina.  
(Chloramine-T) (Conductometric analysis)

RECHKOBILIT, A.Ya., inzh.

Investigating transient operating conditions for the two-row  
stage of a marine steam turbine with super-critical temperature  
drops. Sudostroenie 25 no.7:20-24 Jl '59. (MIRA 12:12)  
(Steam turbines) (Transients (Dynamics))

RECHITSKAYA S YE.

FILE: I BOOK EXPLANATION Sov/772

Mallorodentnyi Oboronstroy Statey, No. 3 (Physical Metallurgy/Collection of Articles), No. 3, Leningrad, September, 1959, 350 p., 3,000 copies printed.	201
Mr. G. I. Kopyrin, Candidate of Technical Sciences; Literary and Tech. Ed.; N. I. Dorenko.	
PURPOSE: This collection of articles is intended for scientific personnel at research and educational institutions and industrial plants and also for advanced students.	
CONTENTS: The articles report the results of investigations of 1) the effect of various factors on the susceptibility of constructional and heat-resistant steels and titanium alloy to brittle failure at various temperatures under various conditions of loading (long-time, short-time, cyclic, monocyclic) 2) alloys, structures, and condition of alloys as related to their mechanical properties, and 3) corrosion resistance and evolution of stainless and heat-resistant steels. The articles are accompanied by numerous Soviet and non-Soviet references. No personalities are mentioned.	202
Bukharin, P. O., and V. A. Bratuhina, Engineer. Mechanical Strength of FeNi. 265	214
Balandin, Yu. F., Candidate of Technical Sciences. Thermal Fatigue of Nickel. 290	290
Obshchikov, B. M., V. I. Slobodchikov, Engineer, and Ye. S. Repnina, Candidate of Technical Sciences. Investigation of the Fatigue Strength of Titanium. 279	279
Zashchitnikov, A. I., Candidate of Technical Sciences. Effect of Vanadium, Molybdenum, and Niobium on the Properties of Alloys of Titanium. 295	295
Rhein, Yu. D. Heat Treatment of Two-Phase Alloys of Titanium. 312	312
Moroz, L. S., and Khavin, Yu. D. Anomalous Grain Growth of Metals in Vacuum. 312	312
Brat, B. I., Candidate of Technical Sciences; A. S. Zarivaylo; and G. I. Kopyrin, Candidate of Technical Sciences. Investigation of the Distribution of Elements in Metallic Alloys and the Solubility of Carbon in Alpha-Iron. 326	326
Geiderman, L. S., Candidate of Technical Sciences; and E. L. Kalyapina, Engineer. Structure and Properties of Forgings as Influenced by Forging Conditions. 349	349
Shul'kina, S. M., Candidate of Technical Sciences; A. I. Yashchikova. Properties of Single-Phase Weldable Titanium Alloys. 350	350
Srodon, B. V., Candidate of Technical Sciences. Modelling in Corrosion Tests Made in Moving Sea Water. 367	367
Sechitkin, S. Ya., Engineer, and N. I. Lenova, Engineer. Use of the Electron Microscope in Investigating the Structure of Type-8L-45 Austenitic Steel at Various Degrees of Susceptibility to Intergranular Corrosion. 391	391

AVAILABLE: Library of Congress

2/2  
VK/NM/rel  
7-26-00

Card 6/6

RECHMEDILOV, N.

Avoid duplication. Fin. SSSR 37 no.10:55-56 O '63. (MIRA 17:2)

1. Glavnnyy ekonomist kishinevskoy trikotazhnoy firmy "Styaua Roshiye".

TON, D.S.; RECHMEDILOV, N.S.; KRUPNIK, M.Ya.

Economic efficiency of the organization of production combines.  
Tekst. izm. 25 no.2:18-21 F '65. (MIRA 18:4)

1. Zavoduyushchiy i mitorom Institute ekonomiki AN Moldavskoy SSR  
(for Ton). 2. Glavnyy ekonomist firmy "Styaua Kochiye" (for  
Rechmedilov). 3. Zamestitel' nachal'nika planovogo otdela  
firmy "Styaua Kochiye" (for Krupnik).

RUSAKOV, Maksim Grigor'yevich; RECHMEDIN, Ivan Ostapovich; ROSLYY,  
Ivan Mikhaylovich; GRUBRIN, Yu.L., dotsent, otv.red.; BALYASNAYA, A.,  
red.; YUNOVSKIY, Ye., tekhn.red.

[Itinerary of a geographical excursion through Kiev and its environs;  
for delegates to the 3rd Congress of the Geographical Society of the  
U.S.S.R.] Marshrut geograficheskoi ekskursii po Kievu i ego okrestno-  
stiam; dlia delegatov III s"ezda Geograficheskogo obshchestva  
Sociusa SSR. Kiyev, Izd-vo Kiyevskogo gos.univ.im. T.G.Shevchenko,  
1960. 71 p. (MIRA 14:6)

(Kiev--Description)

RECHMEDIN, I.O., kand.geograf.nauk

How people determined the form and size of the earth. Nauka  
i zhyttia 9 no.12:47-50 D '59. (MIRA 13:4)  
(Earth)

*Rechmedin*  
RECHMEDIN, I.O.: Master Geogr Sci (diss) -- "The physical-geographic characteristics of the city of Kiev and its environs". Kiev, 1958. 20 pp (Kiev State U im T. G. Shevchenko), 150 copies (KL, No 1, 1959, 115)

RECHMEDIN, V.

TSiolkovskii's ideas ("The way to the stars" by K.E.TSiolkovskii.  
Reviewed by V.Rechmedin). Nauka i zhyttia 11 no.6:55 Je '61.  
(MIRA 14:7)  
(TSiolkovskii, Konstantin Eduardovich, 1857-1935)

SEMENIKHIN, P.G.; DUMIN-BARKOVSKIY, I.V., kand. tekhn. nauk,  
retsenzent; RECHMENSKIY, I.N., kand. tekhn. nauk, red.;  
IVANOVA, N.A., red.izd-va; EL'KIND, V.D., tekhn. red.

[Selection of an efficient roughness of machine-part  
surfaces] Vybor ratsional'noi sherokhovatosti poverkh-  
nosti detalei mashin. Moskva, Mashgiz, 1964. 100 p.  
(MIRA 17:3)

GRIGOR'YEV, S.P., slesar'-iekal'shchik; RECHENSKIY, I.N.,  
kand. tekhn. nauk, retsenzent; TAMBOVTSOV, S.S., kand.  
tekhn. nauk, red.

[Practice of bench and tool work] Praktika slesarno-  
instrumental'nykh rabot. Moskva, Mashinostroenie, 1964.  
172 p. (MIRA 18:1)

RECHMENSKIY, I.N., kand.tekhn.nauk; ARSHAVSKIY, M.Ye., inzh.

Standardization of technological processes and multiple machining in  
lot and small-lot production. Vest.mashinostr. 43 no.3:48-54 Mr '63.  
(MIRA 16:3)

(Industrial management)

RECHMENSKIY, I.N., cand.tekhn.nauk; ARSHAVSKIY, M.Ye., inzh.

Standardization of technological processes and multiple machining  
in lot and small-lot production. Vest.mashinostr. 43 no.3:48-54  
Mr '63. (MIR 16:3)  
(Industrial management)

KABANOV, S.D., inzh.; RECHMENSKIY, I.N., kand.tekhn.nauk

New method for calculating tolerances in machining. Vest.mash.  
42 no.1:56-61 Ja '62. (MIRA 15:1)  
(Tolerance (Engineering))

MIROSHNICHENKO, A.B.; Prinimala uchastiye SOLOVTSOVA, K.M.,  
kand. med. nauk; RECHMEDIN, I.O., kand. geogr. nauk, nauchnyy  
red.; SOLODKIY, D.I., red.; GURVICH, A.G., tekhn. red.

[Dnieper; guidebook]Dnepr; putevoditel'. Kiev, Kievskoe obl.  
knizhno-gazetnoe izd-vo, 1962. 332 p. (MIRA 16:3)  
(Dnieper Valley--Guidebooks)

PANKOV, M.I.; RECHMENSKIY, I.N.; KHOMUTOV, A.I.; IVANOVA, G.A.; LYNDI, A.S.,  
red.; VOLCHIK, V.L., tekhn. red.

[Programs of pedagogical institutes; practical school shop-work  
in the technology of metals and other materials for physics and  
mathematics faculties; major: mathematics and physics] Programmy  
pedagogicheskikh institutov; praktikum v uchebnykh masterskikh s  
elementami tekhnologii metallov i drugikh materialov dlia fiziko-  
matematicheskikh fakul'tetov (spetsial'nosti' - matematika i  
fizika). Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv. RSFSR,  
(MIRA 11:9)  
1958. 14 p.

1. Russia (1917- R.S.F.S.R.) Glavnoye upravleniye vysshikh i  
srednikh pedagogicheskikh uchebnykh zavedeniy.  
(Metals)

RECHIMENSKIY, I.N.; ASEYEV, V.B.; MONAKHOV, V.V.; LYNDA, A.S., red.;  
SHCHEPTEVA, T.A., tekhn.red.

[Programs of pedagogical institutes; elements of machinery for  
physics and mathematics faculties. Majors: mathematics and  
mechanical drawing] Programmy pedagogicheskikh institutov; osnovy  
mashinovedenia dlja fiziko-matematicheskikh fakul'tetov. Spetsial'-  
nost' - matematika i chernenie. Moskva, Gos.uchebno-pedagog.  
izd-vo M-va prosv. RSFSR, 1957. 7 p. (MIRA 11:3)

1. Russia (1917- R.S.F.S.R.) Glavnoye upravleniye vysshikh i  
srednikh pedagogicheskikh uchebnykh zavedenii.  
(Machinery)

PANKOV, M.I.; RECHMENSKIY, I.N.; KHOMUTOV, A.I.; IVANOVA, G.A.; LYNDI, A.S.,  
red.; SHCHEPTEVA, T.A., tekhn.red.

[Programs of pedagogical institutes; technology of metals and other  
materials with practical work in school shops for physics and  
physics and mathematics faculties] Programmy pedagogicheskikh  
institutov; tekhnologiya metallov i drugikh materialov s prakti-  
kumom v uchebnykh masterskikh dlja fiziko-matematicheskikh fakul'-  
tov. Spetsial'nost' - fizika i osnovy proizvodstva. Moskva, Gos.  
uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1957. 15 p. (MIRA 11:3)

1. Russia (1917- R.S.F.S.R.) Glavnoye upravleniye vysshikh i  
srednikh pedagogicheskikh uchebnykh zavedeniy.  
(Metals)


RECHMENSKIY, I. N.

"Investigating the Abrasive Properties of Spinels Obtained From Slags From  
Aluminothermal Production of Manganese." Cand Tech Sci, Moscow Inst of National  
Economy, Moscow, 1953 (РЖХим, No 2, Jan 55)


Survey of Scientific and Technical Dissertations Defended At USSR Higher Educational  
Institutions (13)  
SO: Sum. No. 598, 29 Jul 55

KABANOV, S.D., inzh.; RECHMENSKIY, I.N., kand.tekhn.nauk

Example of the use of theoretical probability calculation method  
in determining operational dimensions and allowances for machining.  
Vest.mashinostr. 42 no.6:54-56 Je '62. (MIRA 15:6)  
(Machine-shop practice) (Probabilities)



An electrochemical method for the sterilization of objects carrying spores of microorganisms. S. S. Rechmenskil. Z. Microbiol., Epidemiol. Immunitätsforsch. (U. S. S. R.) 1939, No. 7-8, 152-5; Chem. Zentr. 1940, I, 3037.—The elec. current activated the sterilizing action of Hg prepns. on the spores of *B. anthracis*. Sterilization was effected in a shorter time or at a lower concn. of the sterilizing agent. The effect is explained by the fact that the elec. current causes a max. dissoen. of the mols. of the sterilizing agent into ions and stabilizes the optimum pH of the soln. M. G. Moore



FECHNEROVY, S. S.

Chair of Microbiology, Central Inst. for the Advancement of Medicine, (-1944-).

"To the characteristics of the wounds flora,"

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No.9, 1944.

RECHENKOV, S. S.

Chair of Microbiology, Central Inst. for the advancement of Medicine, (-1944-)

"The factors of the intrahospital infection of the wounds"

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No. 9, 1944.

RECHMENSKIY, S. S.

DA 100-1000

- USSR/Medicine - Microorganisms  
Medicine - Evolution

Jun 48

"Retrograde Forms of Microbe," S. S. Rechmenskiy,  
Changes and Evolution of Microorganisms Lab, Acad  
Sci USSR, 2 $\frac{1}{2}$  pp

"Dok Ak Nauk SSSR" Vol LX, No 9

Employing lithium salts and ultraviolet radiation,  
authors succeeded in producing unusual colonies of  
retrograde type in pigmented varieties of  
staphylococci. Procedure is described in detail,  
with 4 microphotographs. Submitted 22 Apr 48.

6/49 T5

RECHMENSKIY, S.S.

60/49T59

USSR/Medicine - Streptococci  
Medicine - Microorganisms

Oct 48

"Reversible Forms of Streptococci," S. S. Rechmen-  
skiy, L. M. Drozdova, Lab of Evolution and Varia-  
bility of Microorganisms, Acad Sci USSR, 2 1/3 pp

"Dok Ak Nauk SSSR" Vol LXII, No 6

Reversible forms in vitro tend to return to the  
original typical form of beta-streptococci. Swollen  
forms which do not retain Giemsa's stain well and  
liquefied forms can be observed microscopically.  
Observed large numbers of Gamaleya's giant cells in  
broth cultures of these forms. Submitted by  
N. F. Gamaleya 29 May 48.

60/49T59

RECHMENSKIY (frmr)

PA 61/49T44

USSR/Medicine - Staphylococcus  
Medicine - Microorganisms

Nov 48

"The Heteromorphism of *Staphylococcus*," Rechmenskiy,  
Lab of Evolution and Variability of Microorganisms,  
Acad Sci USSR, 2 1/3 pp

"Dok Ak Nauk SSSR" Vol LIII, No 1

Heteromorphic *staphylococcus-albus* is described  
according to its structural detail and ability to  
grow in media and form a series of dissociated,  
partly reversible columns, and is considered  
legally very important. It is possible that the  
appearance of heteromorphic cells is associated

61/49T44

USSR/Medicine - *Staphylococcus* (Contd)

Nov 48

with the regeneration of their plasticity to adapt  
themselves to changing conditions. Submitted by  
Acad N. F. Gamaleya 23 Jun 48.

61/49T44

REDELMAN, S. S.

Medicine

Problem of aerial infection, Koskva, 1951

Monthly List of Russian Accessions, Library of Congress, March 1952. UNCLASSIFIED.

EBCHMENSKIY, S.S., professor

New methods of bacteriological analysis of the air. Voen.-med.  
zhur. no.9:51-57 S '51. (MLRA 9:9)  
(AIR--BACTERIOLOGY)

RECHMERSKII, S. S.

"Lypholization as a Method of Preservation of Biog~~re~~parations"

Mikrobiologiya, Mar/Apr 1952  
1A1, 18 Dec 1952

RICHMENSKIY, S. S., Prof.

Contagion and Contagious Diseases

"Aerial infection." Reviewed by S. V. Guslits. Gig. i san., no. 5, 1952.

Monthly List of Russian Accessions, Library of Congress, September 1952. UNCLASSIFIED.

RECHMENSKIY, S.S., MITCHENKO, V.P.

Determination of air-borne viruses by means of gelatin foam filters; preliminary report [with summary in English].  
Vop. virus 3 no.2:101-103 Mr-Ap '58 ('MIRA 11:5)

1. Institut infektsionnykh bolezney AMN SSSR, Kiyev.  
(VIRUSES,  
air-borne, determ. by gelatin foam filters (Rus)

GERSHKOVICH, R.M., inzh.; CHEPIK, N.V., inzh.; RYCHMENSKIY, V.N., inzh.

New devices for testing synthetic materials. Stroi. mat. 11  
no.4:17-20 Ap '65. (MIRA 18:6)

REDECHKINA, Z.P.

Some data on the clinical characteristics of Q fever. Zhur.  
mikrobiol., epid.i immun. 32 no.12:75-78 D '61. (MIRA 15:11)

1. Iz kliniki infektsionnykh bolezney s epidemiologiyey  
Saratovskogo meditsinskogo instituta.  
(Q FEVER)

POLAND/Human and Animal Physiology (Normal and Pathological).  
Blood. Blood Coagulation.

T

Abs Jour: Ref Zhur-Biol., No 17, 1958, 79462.

Author : Kowarzyk, Hugon; Rechnic, Mendel.

Inst :

Title : Thrombinogenesis and Thrombin Protease.

Orig Pub: Acta physiol. polon., 1957, 8, No 1, 3-16.

**Abstract:** Thrombin protease was activated in globulins of plasma of cattle; the plasma had been defibrinated by heating to 50° or by the addition of thrombin (T). In the second case, proteolysis was less intensive than in the first. Seemingly, coagulation after the addition of T removes from the plasma part of the substrate which forms nonprotein N. During spontaneous coagulation, the serum contained only

Card : 1/3

KOWARZYK, H.; RECHNIC, M.; SIWINSKA, M.; CZERWINSKA, B.

Physiological activation of fibrinolysin in the blood. Acta physiol. polon. 8 no.3:391-393 1957.

1. z Zakladu Patofizjologii Instytutu Immunologii i Terapii Doswiadczonej PAN im. L. Hirschfelda oraz z Zakladu Patologii Ogolnej i Doswiadczonej A. M. we Wroclawiu.

(FIBRINOLYSIN,  
physiol. activation (Pol))

VARJASI, Ferenc, dr.; NEUBAUER, Gyorgy, dr.; RECHNITZ, Kurt, dr.;  
TREIT, Sandor, dr.

Detection of precancerous conditions of the cervix uteri by  
simultaneous colposcopy and cytodiagnosis. Orv.hetil. 102 no.10:  
438-442 5 Mr '61.

1. Budapesti Orvostudomanyi Egyetem, I. sz. Női Klinika.  
(CERVIX NEOPLASMS diag)

AGOSTON, Janos, dr.; RECHNITZ, Kurt, dr.

Early diagnosis of cervical cancer with the aid of electron microscopy.  
Magy onkol 5 no.4:222-227 D '61.

1. Budapesti Orvostudomanyi Egyetem I sz. Női Klinika.  
(CERVIX NEOPLASMS diag) (MICROSCOPY ELECTRON)

KOZUSZEK, Waldemar; RECK, Julitta; CYWICKI, Jan

Giant liver abscess in amebiasis. Wiad. lek. 18 no.8:703-706  
15 Ap '65.

1. Z Oddzialu Chirurgicznego Szpitala Miejskiego im. R.J.  
Czerwiakowskiego (Ordynator: dr. E. Mierczynski) z Prosek-  
torium Miejskiego Szpitala Zakaznego im. J. Gromkowskiego  
we Wrocławiu (Kierownik: lek. med. I. Cywicki).

RECKS, A.; SCUREK, R.

Continuous colorimetric analyzer and recorder for control of oxygen in inert gases. p. 71

CHEMICKÉ PRŮMYSTI. (Ministerstvo chemického průmyslu) Praha, Czechoslovakia  
Vol. 9, No. 2, Feb. 1959

Monthly List of East European Accessions, (EEAI) LC, Vol. 8, No. 7, July 1959  
Uncl.

COUNTRY	: YUGOSLAVIA	H
CATEGORY	Chemical Technology, Chemical Products and Their Applications, Dyeing and Chemical *	
ABS. JOUR.	RZhKhim., no. 23 1959, no. 84454	
AUTHOR	Reznik, F.	
TYPE	=	
TITLE	Basic Impregnation Methods for Rendering Fabrics Water-Tight and Water Repellent	
ORIG. PUB.	Tekstil, 1959, 2, No 3, 202-207	
ABSTRACT	Waterproofing of the fabrics in the textile industry is achieved through the application of layers of Al, paraffin waxes, silicones, 2-indocyloxymethylpyridine chloride and other substances. Presented are the trade names of substances used for waterproofing, methods of their application, and also testing methods to determine the degree of water-tightness and water-repellent characteristics. -- T. Budkevich.	
*Treatment of Textile Materials.		
CARD:	1/1	

RECHNIK, F.

Dyeing polyester fibers.

p. 152 (Tekstilna Industrija) Vol. 5, No. 5, May 1957, Belgrade, Yugoslavia

SS: MONTHLY INDEX OF EAST EUROPEAN ACCESSIONS (EEAI) LC, VOL. 7, NO. 1, JAN. 1958

*M. Mendel, M. Siwinska, B. Czerwinska*  
RECHNIC, Mendel; SIWINSKA, Maria; CZERWINSKA, Barbara

Fibrinolysis & thrombinogenesis. Arch. immun. ter. dosw. 5:347-361  
1957.

(FIBRIN fibrinolysis, relation to thrombinogenesis (Pol))

(THROMBIN thrombinogenesis, relation to fibrinolysis (Pol))

RECHNIC, Mendel

KOWARZYK, Hugo; RECHNIC, Mendel

Thrombinogenesis and thrombin protease. Acta physiol. polon. 8 no.1:  
3-16 1957.

1. Z Zakladu Patologii Ogolnej i Doswiadczonej A. M. we Wrocławiu  
Kierownik: prof. dr H. Kowarzyk.

(THROMBIN,  
form., role of protease (Pol))

RECHNIK, M.A.

Solitary cerebral tuberculosis as a complication of pulmonary and peritoneal tuberculosis. Klin. med., Moskva 30 no.2:79 Feb 1952.  
(CLML 22:1)

1. Candidate Medical Sciences. 2. Of Chapayevsk Tuberculosis Hospital  
(Head Physician -- Ye. M. Kashlyavik).

RECHNIK, M. A.

"Intrapleural Administration of Potassium Chloride in Spontaneous Pneumothorax Treatments," Prob. Tuber., No. 3, 1948. Cand. Medical Sci.

TECHNIK, M. A.; MACHNEV, I. I.

Embolism

Case of air embolism in pneumoperitoneum. Probl. tub. No. 2, 1952.

1952

X1952. Unclassified.

9. Monthly List of Russian Accessions, Library of Congress, August X1952. Unclassified.

RECHNIK, M. A.; MACHNEV, I. I.

Pneumoperitoneum, Artificial

Case of air embolism in pneumoperitoneum. Probl. tub. no. 2, 1952.

1952

9. Monthly List of Russian Accessions, Library of Congress, August ~~X<sup>1952</sup>~~. Unclassified.

MACHNIK, M. A.; MACHNIK, I.I.

Embolism

Case of air embolism in pneumoperitoneum Probl. tub. No. 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, August <sup>1952</sup> ~~X1951~~. Unclassified.

RECHNIK, M. A.; MACHNEV, I. I.

Pneumoperitoneum, Artificial

Case of air embolism in pneumoperitoneum. Probl. tub. no 2, 1952.

9. Monthly List of Russian Accessions, Library of Congress, August <sup>1952</sup> ~~XI 1953~~. Unclassified.

RECHNIK, M. A.

Brain - Tuberculosis

Solitary cerebral tuberculosis as a complication of pulmonary and peritoneal tuberculosis. Klin. med. 30, no. 2, February, 1952.

Monthly List of Russian Accessions, Library of Congress, August 1952. Unclassified.

RECHNIK, S. A. Cand Biol Sci -- (diss) "Certain biochemical properties of  
acidophilous crops and their utilization in dairy <sup>industry</sup> ~~industry~~" Ul'yanovsk, 1956.  
16 pp 20 cm. (Min of Higher Education USSR. Kazan' Vet Inst im N. E. Bauman),  
200 copies  
(KL, 7-57, 105)

23

MEHES, K.; ECOMOTORI, Jeno, dr., RICHNITZ, Kurt, dr.

On a method for sex-chromatin determination. Orv. hetil. 105  
no. 31:1483-1484 2 Ag '64.

RECHNITZ, K.; VACZY, L.

Recent attainment in the study of carcinogenesis. Orv. hetil. 93  
no. 9:265-274 2 Mar 1952. (CLML 23:3)

1. Doctors. 2. First Women's Clinic (Director -- Prof. Dr. Bela  
Horn) and Second Women's Clinic (Director -- Prof. Dr. Imre Zoltan)  
of Budapest Medical University.

RECHNITZ, K.; TARJAN, G.

Role of the placenta in active tuberculosis. Magy. Moorr. lap. 14  
no.11:334-337 Nov 1951. (CLML 21:2)

1. Doctors. 2. First Women's Clinic (Director -- Prof. Dr. Bela Horn),  
Budapest Medical University.

AGOSTON, Janos, dr.; HORN, Bela, dr.; RECHNITZ, Kurt, dr.

Examination of the peripheral nerve fibers in the vulva in precancerous conditions. Magy. noorv. lap. 18 no.4:211-213 July 55.

1. Budapesti Orvostudomanyi Egyetem I. sz. noi klinikajának kozleménye (Igazgató: Horn, Bela dr. egyetemi tanár).  
(NERVES, PERIPHERAL,  
in vulva, in precancerous conditions, fiber exam. (Hun))  
(VULVA, neoplasms  
precancerous conditions, exam. of peripheral nerve  
fibers. (Hun))

JTF

C.4

The effects of adrenaline and of the hormone of the posterior lobe of the hypophysis on the liver and kidneys of rats. János Ágoston, Kurt Kechlitz, and Gyorgy Tarján. *Oroszi Hetilap* 90, 151-6 (1949).—Rats weighing 150-60 g. were given daily (1) 1 cc. 0.1% adrenaline, (2) 1 cc. of posterior pituitary prepn. of 10 Vortilin units, or (3) 1 cc. physiol. NaCl soln. for 2 weeks. The blood sugar level was (1) 220, (2) 120, and (3) 118 mg. % Liver lobes showed degeneration of parenchyma in group (1). I. Finály

The tubular secretion mechanism of *p*-aminohippuric acid. Mihály Foldi and György Szabó. *Oroszi Hetilap* 90, 234-5 (1949).—In 3 male dogs 50 mg. ext. of the suprarenal gland cortex had no effect on the max. tubular sugar resorption. Thus, phosphorylation procedures seem to play no role in the secretion of *p*-aminohippuric acid.

István Finály

AGOSTON, Janos, dr.; RACHNITZ, Kurt, dr.

Data on the pathogenesis of endometriosis. Magy.noorv.lap. 20  
no.6:316-319 N '59.

1. Budapesti Orvostudomanyi Egyetem I. sz. Noi Klinikajának  
közleménye (Igazgató: Horn Bela dr. egyetemi tanár).  
(ENDOMETRIOSIS etiol)

AFANASENKO, S.S.; RECHNOY, M.S.

Control of sugar losses. Sakh.prom. 36 no.4:14-16 Ap '62.


(MIRA 15:5)

1. Peregovoskiy sakharnyy zavod imeni Karla Marksa (for Afanaseenko).
2. Sakharnyy zavod "Kommunar" (for Rechnoy).  
(Sugar manufacture)

RECHOWICZ, J.

Death in child caused by deliberate feeding hot milk. Wiadomosci  
lek. 7 no.3:195-196 Mar. 54.

(CRIME,  
death in child caused by feeding hot milk)



ORLOVA, Mariya.; RECHVINA, Lida.

Generous soul. Rabotnitsa 34 no.10:4-5 0 '56.  
(Chelyabinsk--Tractor industry)

(MLRA 9:11)

Z/037/63/000/001/004/008  
E140/E135

AUTHORS: Koranda, M., Pastrnák, J., and Rechziegel, E.  
TITLE: Photoelectric recorder as spectrograph accessory  
PERIODICAL: Československý časopis pro fysiku, no.1, 1963, 28-30.  
TEXT: A brief description is given of a photoelectric recorder using a recording millivoltmeter in conjunction with a Row-Rathenaw FD-S spectrograph. It is intended for spectroscopy work in cases where photoelectric recording is preferable to photographic recording.  
There are 3 figures.  
ASSOCIATION: Kovohutě, Čelákovice (Koranda, M.);  
Fysikální ústav ČSAV, Praha (Physics Institute  
ČSAV, Prague) (Pastrnák, J., and Rechziegel, E.)  
SUBMITTED: December 30, 1961

Card 1/1

87983

Z/039/61/022/001/006/006  
E192/E382

9,5300 (and 2804)

AUTHOR: Rechziegel, Edvard, Industrial Physicist

TITLE: Increasing the Damping of a Photoelectric  
Amplifier by Connecting a Capacitor in the  
Feedback Loop

PERIODICAL: Slaboproudý obzor, 1961, Vol. 22, No. 1,  
pp. 41 - 44

TEXT: The amplifier discussed is shown in Fig. 1. The light from the bulb passes through a slot S and falls onto the photocell F. The pointer of the galvanometer G controls the area of the slot and thus varies the light flux received by the photocell. The voltage from the output resistance of the photocell is applied to the amplifying tube, which operates as a cathode follower. The output voltage of the amplifier is taken from the cathode of the tube. A portion of this voltage taken from a potential divider consisting of resistances R<sub>1</sub>

Card 1/6

44

87983

Z/039/61/022/001/006/006  
E192/E382

Increasing the Damping of a Photoelectric Amplifier by  
Connecting a Capacitor in the Feedback Loop

and  $R_2$  is applied to the input circuit where it compensates the measured input voltage. In order to increase the zero stability and the gain stability of the system, the galvanometer has a negligible mechanical torque which is fully replaced by an electrical torque produced by the negative feedback. The electrical damping in the amplifier is produced by connecting a capacitance  $C$  in parallel with the feedback resistance  $R_1$ . The effect of this resistance on the response of the system is analysed. It is shown that the normalised differential equation of the system is:

$$\frac{K}{D} \cdot \frac{d^2y}{dt^2} - \frac{r}{D} \frac{dy}{dt} + y = 1 \quad (25)$$

Card 2/6

44

87983  
Z/039/61/022/001/006/006  
E192/E382

Increasing the Damping of a Photoelectric Amplifier by  
Connecting a Capacitor in the Feedback Loop  
where  $K$  is the moment of inertia of the galvanometer and  
 $\bar{D}$  and  $\bar{R}$  are constants depending on the parameters  
of the galvanometer, tube and the external  
circuit parameters.

The solution of this equation for the case of critical  
damping is in the form:

$$y = 1 - e^{-\frac{\pi}{2}} \cdot (1 + \frac{\pi}{2}) \quad (30)$$

From this equation it is found that the critical damping  
capacitance is expressed by:

Card 3/6

(33)

41

87983

Z/039/61/022/001/006/006  
E192/E382

Increasing the Damping of a Photoelectric Amplifier by  
Connecting a Capacitor in the Feedback Loop

where  $D$  is the mechanical torque of the galvanometer,  
 $N$  is the number of turns in the galvanometer coil,  
 $B$  is the magnetic induction in the galvanometer gap,  
 $S$  is the effective area of the galvanometer coil,  
 $\alpha = dU_k / d\varphi$  (where  $\varphi$  is the angular deflection of  
the galvanometer),  
 $R_i$  is the internal resistance of the galvanometer and  
the voltage source and  
 $r_1$  is the friction damping coefficient of the  
galvanometer.

For a typical case it is found that the value of the critical  
capacitance is about 0.5  $\mu$ F.

44


Card 4/6

87983

Z/039/61/022/001/006/006  
E192/E382

Increasing the Damping of a Photoelectric Amplifier by  
Connecting a Capacitor in the Feedback Loop

Fig. 1:



Obr. 1. Zápojení fotoelektrického zesilovače se zpětnou  
vazbou.

Card 5/6

11

87983

Z/039/61/022/001/006/006  
E192/E382

Increasing the Damping of a Photoelectric Amplifier by  
Connecting a Capacitor in the Feedback Loop

ASSOCIATION: Fyzikální ústav, ČSAV, Praha  
(Physics Institute, CSAV, Prague)

SUBMITTED: June 22, 1960

H

Card 6/6

L 41753-65  
ACCESSION NR: AF4042904

Z/0014/64/000/007/0255/0256

3

B

AUTHOR: Rechziegel, Edvard (Physicist)

TITLE: A tandem electrometer

SOURCE: Sdelovaci technika, no. 7, 1964, 255-256

TOPIC TAGS: electrometry, tandem electrometer, autostabilization, negative feedback

ABSTRACT: A tandem is described as a nonlinear condenser composed of narrow hysteresis loops with a high insulating resistance of over  $10^{12}$  ohms, which makes it a good introductory element in an electrometric system. This resistance is less than that of an electrometric tube, but it has no direct current bias and its initial resistance can be raised considerably by feedback. In the experimental electrometer, an oscillator feeds alternating current at about 30 volts and 25 kcps into a tandem and produces a state of autostabilization. The direct current signal is then metered and passes through a high-resistance circuit and a filter into the tandem, which converts it to impulses which a condenser integrates and modulates according to width. A limiter then compresses the signal to a rectangular form with strictly defined amplitude. Certain components of the apparatus.

Card 1/2

L 41753-65

ACCESSION NR: AP4042904

filters amplifier, meters, current input and back coupling are described in detail. The highly negative feedback to the tandem reduces deflection of the meter needle to between 10 and 100 millivolts; the tandem modulates the signal with very slight variations and the alternation period is controlled to within one-thousandth. This experimental electrometer contains 17 transistors and one semiconductor diode, and the battery current stabilizer has 3 more transistors and 5 diodes, but these numbers will be reduced by further development. Orig. art. has: 4 figures.

ASSOCIATION: None

SUMMITTED: 00

ENCL: 00

SUB CODE: EC

NO ZEP Sov: 001

OTHER: 002

CC

Card 2/2

KUCHZIEGEL, Edvard, promovany fyzik

Two-phase RC generator. Sdel tech 12 no. 3:97-98 Mr '64.

S/194/62/000/008/006/100  
D201/D308

AUTHOR: Rechziegel, Edvard

TITLE: A photoelectric amplifier with negative feedback

PERIODICAL: Referativnyy zhurnal. Avtomatika i radioelektronika,  
no. 8, 1962, abstract 8-2-31 m (Czech. pat., cl. 21a<sup>2</sup>,  
18/02, no. 98346, Jan. 15, 1961)

TEXT: The patented circuit of the photoelectric amplifier consists of a galvanometer and a photocell. There is a resistive voltage divider at the output of the photocell and the potential difference between the input signal and resistance junction of the divider is applied to the galvanometer. The resistance of the divider connected to the output is shunted by a capacitance which produces the required damping in the circuit. 2 figures. [Abstracter's note: Complete translation.] ✓

Card 1/1

RECHZIEGEL, Edward

- 21  
127
- Prague, January 1945, Vol 2, No 5, pp 1-2.
1. "The Preparation of High-Purity Ozone," from Proceedings of the First International Congress on Ozone (Ozone Research Society), Prague, pp 1-2.
  2. "Preparation of Iodine as Crystalline Residue," from Proceedings of the First International Congress on Ozone, Prague, pp 1-2.
  3. "A Contribution to the Problem of Ozone Elimination in Photography," from Proceedings of the First International Congress on Ozone, Prague, pp 1-2.
  4. "Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.
  5. "Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.
  6. "The Preparation of the Strong Oxidants of Ozone," Technique, Jan 1945, No 1, pp 1-2.
  7. "Preparation of High-Purity Zinc by the Zinc-Zinc-Oxygen Method," Technique, Jan 1945, No 1, pp 1-2.
  8. "Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.
  9. "Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.
  10. "Preparation of Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.
  11. "Ozone," Encyclopaedia Britannica, 1945, Vol 10, p 1023.

RECHZIEGEL, Edvard, prom.fyz.

Enhancing the damping of a photoelectric amplifier by inserting  
a capacitor in the feedback loop. Slaboproudý obzor 22 no.1:41-44  
'61. (EEAI 10:5)

1. Fyzikalni ustav Ceskoslovenske akademie ved, Praha.  
(Photoelectricity) (Amplifiers) (Feedback (Electronics))  
(Condensers (Electricity))

RUCICAR, A.

TECHNICKY

peri dicals: SBORNÍK VILNEHÝCH PRAC Vol. 2, 1957

RUCICAR, A. Method of vector projection. p. 23.

Monthly List of East European Accessions (EWA) IC Vol. 8, no. 5  
May 1959, Unclass.

Košice, A.C., R.A.R.C.L.

16(1); 18(3), (6);  
22(2); 11(2); 14(5) PHASE I BOOK EXPLOITATION CZECH/2579

Sborník vedeckých prac vysokéj školy technickej v Košiciach,  
II, 1957 (Collection of Scientific Works of the Higher  
Technical School in Košice, II, 1957) Bratislava, SVTL,  
1957. 198 p. 1,300 copies printed.

Resp. Ed.: Igor Žáčko; Tech. Ed.: F.R. Blažko; Chief Ed.:  
Pavol Holéczy, Engineer.

PURPOSE: This collection of articles is intended for scientists  
and engineers interested in the subjects discussed.

COVERAGE: This collection of 13 articles written by members of  
the faculty of the Košice Higher Technical School covers a  
variety of subjects, including mathematics, metallurgy,  
mining engineering, etc. Each article is accompanied by a  
resume in Slovak, Russian, and German. References are  
listed at the end of each article; the majority of listings  
are Slovak, German, and Soviet.

Card 1/8

Collection of Scientific Works (Cont.)

CZECH/2579

TABLE OF CONTENTS:

Turga, František, Professor, Doctor (Department of Mathematics and Descriptive Geometry). Representation of Functions for a Complex Variable by Nomograms With Binary and Ternary Fields

1. Binary field	7
2. Double binary field	8
3. Ternary field	15
Resumé	21
References	22

Rečičár, Karol (Department of Mathematics and Descriptive Geometry). Vector Projection Method

Introduction	23
1. Fundamentals of the vector projection method	24
2. Basic characteristics of vector projection	25
3. Auxiliary plotting	29
4. Positional problems	31
5. Solution of metric problems	32
Resumé	35
References	36

Card 2/8

Collection of Scientific Works (Cont.) Czech/2579

Rakos, Matej, Docent, Engineer (Department of Physics).  
Effect of Heat on Total Losses in Iron, Measured by the  
Epstein Tester

Introduction	37
1. Derivation of the relation between total losses of heat	37
2. Experimental results	39
Resume	41
References	42

Kracmar, Eduard, Docent, Doctor, Engineer. Relation Between Intensity and [Performance] Standards of Labor

Introduction	43
1. Impact of technological progress	44
2. Time standard setup	44
3. Manual operations	46
4. One-man operation of a mechanized installation	49

Card 3/8

Collection of Scientific Works (Cont.) Czech/2579

Resume	52
References	52

Cernoch, S., Professor, Engineer. Regeneration of Spent Gas  
in Industrial Furnaces

1. Survey of fundamentals of design	53
2. Principles of heat engineering	56
Resume	66
References	67

Spal, Tindrich, Engineer (Department of Metallurgical  
Furnaces and Power Equipment). Pressure Control in the  
Working [Combustion] Space of a Furnace With Natural  
Draught

Introduction	69
I. Significance of draught control	69
A. Factors affecting draught in furnace	71
B. Basic relations and their calculation	73
II. Control by choking	74
A. Theoretical principles	74
B. Mathematical example of control by choking	77
III. Control by mixing	79
A. Theoretical principles	79

Card 4/8

Collection of Scientific Works (Cont.)	CZECH/2579
B. Mathematical example	81
C. Analysis of results of mathematical example	83
Conclusions	84
1. Comparison between control by choking and by mixing	84
2. Evaluation of mathematical methods	86
Resume	86
References	87
Poneváč, Jan, Engineer (Department of Metallurgical Furnaces and Power Equipment). Possibilities of Antimony Production in New "Thermotechnical" Furnaces	
Resume	94
References	94
Tagoš, Taroslav, Engineer (Department of Chemistry. Faculty of Metallurgy). Properties. Production and Application of Pure Silicon	

Card 5/8

Collection of Scientific Works (Cont.)

CZECH/2579

I.	Properties of silicon	95
II.	Industrial uses of pure silicon	97
III.	Possibilities of silicon manufacture	97
IV.	Direct reduction of pure silicon	98
V.	Purification and hyper-purification of silicon	99
	Conclusions	103
	Resumé	105
	References	105
		106

Ilarovsky, Pavel, Docent. Engineer. Survey of the Framework  
of Structures on the Bottom of an Open-Pit Mine

Framework structure	110
Preparations for measurement	110
Fixing of points	110
Levelling	110
Computation procedure	111
Resumé	112
References	117
	118

Card 6/8

Collection of Scientific Works (Cont.)

CZECH/2579

Kovanic, L'udovit, Engineer. Methods of Plotting Under-ground Mining Areas

1. Perspective representation	119
2. "Axonometric" [pictorial system of] representation	120
3. Affine [nonorthogonal] system of representation	123
4. Vector-space representation	125
Resume	127
References	127

Spaldon, Frantsek, Professor, Doctor, Engineer (Department of Ore and Coal Beneficiation). Mathematical and Graphic Evaluation of the Technological Effectiveness of Dressing and Beneficiation Processes

1. Concentration	129
2. Sorting	137
3. Dehydration and thickening	144
Resume	149
References	149

Card 7/8

Collection of Scientific Works (Cont.)

CZECH/2579

Schenk, Turaj, Professor, Engineer, Doctor (Department of Ore and Coal Beneficiation) Use of Radioactive Isotopes in Ore and Coal Beneficiation

- |    |  |     |
|----|--|-----|
| 1. | Use of radioactive isotopes for research on technological processes in beneficiation of useful minerals      | 153 |
| 2. | Use of radioactive isotopes for the separation of useful minerals  | 160 |
| 3. | Use of radioactive isotopes for the control and analysis of technological processes in a beneficiation plant |     |
|    | Resume   | 161 |
|    | References   | 175 |
|    |  | 175 |

Zorkovsky, B. Docent, Doctor of Natural Sciences. Brief Survey of Geological Conditions and Mineral Deposits in the Rumanian People's Republic

- |            |     |
|------------|-----|
| Resume     | 197 |
| References | 198 |

AVAILABLE: Library of Congress

Card 8/8

IS/mg  
12-1-59

JULIC A, Karel, doc.

Vector projection in four-dimensional space and its  
application in mine surveying. Rudy 12 no.4:127-132  
Ap '64.

1. Chair of Mathematics and Descriptive Geometry, Faculty  
of Mining, Higher School of Technology, Kosice.